

Find Model and Size for Custom Clip-On Sunglasses from 88ClipOn

For Your Existing Prescription Eyeglasses

Smart shoppers like you can save \$300 or more without prescribing another pair of prescription sunglasses to carry around when you get in and out of sunlight. The following information will assist you in finding the model and size of your eyeglasses to ensure that you select perfectly matching clipon sunglasses from 88ClipOn for your own existing prescription eyeglasses.

First and foremost is to ensure that you select the correct brand and model for your existing eyeglasses. Every single prescription eyeglasses has a model number or name. Model numbers are usually a series of letters and number printed on the frame. If a model name is present, it is usually a memorable word like classic **Ray Ban Clubmaster** or popular **Oakley Crosslink** prescription eyeglasses.



Example for Eyeglasses Measurements: 51 - 19 - 140

Note: all measurements are in millimeters (mm).


- 1 **EYESIZE** (51) - the width across the lens (51 mm is about 2 inches.)
- 2 **BRIDGE** (19) - the distance between lenses (19 mm is about $\frac{3}{4}$ of an inch.)
- 3 **TEMPLE** (140) - the length of the frame's arms including the portion which secures the frame behind the ears. This measurement is NOT important to choose a fitting custom clipon sunglass from **88ClipOn**.

To order the correct size clipon sunglasses from 88ClipOn, two measurements are extremely important. They are the EYESIZE (51) and BRIDGE (19). These two numbers could be found on the bridge 2, on one of the two temples 3, or rarely on one of the two nose pads. The two numbers could be separated by a square shape “□”, an “o”, a dash “-“, or a slash “/”.

Lens color samples and important notice

Dark Grey		Brown	
<ul style="list-style-type: none">• Genuine eyeglasses frame NOT included.• Custom polarized clipon sunglasses ONLY to match your own frame.		<ul style="list-style-type: none">• Custom hand made in US with the best PC scratch resistant, lenses by master opticians.• Provide 100% UVA and UVB protection.	
G-15 Green		Yellow	
<ul style="list-style-type: none">• Double check the model and size match your eyeglasses frame.• Model and size are printed on your eyeglasses frame.• Not matching? Send us a message, and we custom make it for you.		<ul style="list-style-type: none">• We will request you to specify lens color selection and model/size.• Popular grey will be your lens color if you do not provide us a color selection within 48 hours.	

Polarized lens color features and benefits


	Color	Polarizing Efficiency	Trans-mission	Use
	Gray	98%	18%	Reduces the maximum amount of visible light and allows for true color recognition. Good for bright sunny days and heavy glare situations. Best uses include driving, water sports, fishing, and general use.
	Green	98%	20%	Has slightly better contrast than the gray colors, but is not considered a high contrast lens. Green maintains true color balance and is a good choice for varying light conditions. Used for tennis, driving, and golf, as well as an all-purpose color.
	Brown	98%	22%	Provides excellent contrast and improves visual acuity and depth perception. Good for bright sunny and varying conditions. Reduces blue light. Best for driving, golfing and shallow water fishing.
	Yellow	10%	80%	Provides the maximum light transmission of any polarized lens. Increases contrast and filters out some blue light. Used in low light conditions such as overcast or cloudy days. Popular for night time driving, shooting, and hunting.

Scan Images of Your Eyeglasses Frame to Custom Make 88ClipOn ClipOn Sunglasses


Please help us custom make your clip on sunglasses with the best possible result when you cannot send us your frame, or your frame is rimless with custom size:

1. Have a scanner or a photocopier (Xerox machine) with the scanner function.
2. Scan the front and top of your frame along with a well-known coin as a sizing reference, and save the 2 images in JPEG or PDF format. You do NOT need to adjust the images quality.
3. Reply back to the sales confirmation email from where you placed your order. Write the coin's name, your frame's brand, model number, and size in the reply email and then attach the 2 scanned images. Refer to Page 1 for how to find model and size on your eyeglasses frame.

Scan the Front of Your Frame:



Scan the Top of Your Frame:



1. Place your frame top side down in the center.
2. Place a pile of paper from the scanner or any object about ½ inch or 10 mm high under the arms of your frame.
3. Raise the arms to a level to show just a single curve line from the top.
4. Leave the well-known coin above your frame.
5. Cover the scan area with a piece of white paper.
6. Scan 1:1 and save the image to JPEG or PDF.

Front scan of the sample metal frame below:



Scan Rimless Eyeglasses Frame and Frame with arms not able to be folded:

A well-known coin as a sizing reference.



For arms not able to be folded, knock out 2 holes on a white paper to pass the arms through the holes.



(Optional) Paint a rimless lens edge with a dry erase marker.

An extra step for arms not able to be folded:

1. Knock out two holes on a white paper to pass two arms through the two holes on the paper. Proceed to scanning as below.

An extra step for rimless frame:

1. (Optional) Paint a lens edge with a dry erase marker. Wipe clean afterwards.

Scan the front of your eyeglasses:

1. Place your frame facing down in the center of the scan area.
2. Place a well-known coin above your frame.
3. Cover the scan area with a piece of white paper. Skip for arms not able to be folded.
4. Scan 1:1 and save the image to JPEG or PDF.
5. Proceed to scanning the top view of your frame.

Top scan of the sample rimless frame below:

